



IGL – Internationale Gemeinschaft für Labyrinthfische

CIL – Communauté internationale pour les Labyrinthides

IAA – International Anabantoids Association

**Liste de maintenance formes sauvage 2007**  
**Fischbestandsliste für natürliche Arten 2007**  
**Stock-list for natural species 2007**

Gattung Art Fundort/Population Genere Espèce Lieu d'origine/Population Genus Species Place of discovery/Population			ID	Vorhanden Maintenu Available	Nachzucht Reproduction Reproduction	Gesucht Recherchés Searched
<b>Badidae</b>						
Badis	badis	Calcutta	8	197		393
	badis	u. H.	9	195		393
	burmanicus	u. H.	11			393, 171
	cf. assamensis	Mimbon 99	12			
	cf. assamensis	u. H.	222			
	corycaeus	Putao	257			393
	corycaeus	u. H.		386	386	
	ruber	Moulmein, SE-Myanmar	303			
	siamensis	Pru Pre River	250			393
	siamensis,	Phuket	13			393
Dario	dario	Badis bengalensis, Scarlet	10	257, 497	257	
	dayingensis					
	hysginon	Flame Red	248	089, 195	089	
	sp.	Bangladesh				
	sp.	Kirschfleck				
<b>Nandidae und Pristolepidae</b>						
Afronandus	sheljuzhkoi	u. H.	1			
Nandus	nandus,	Bangla Desh	151			
	nebulosus	u. H.	152			393
Polycentropsis	abbreviata	u. H.	179	397	397	195
Polycentrus	schomburgki	u. H.	216			195
Pristolepis	fasciatus	Bangka	239			
	fasciatus	Burma	180			
	fasciatus	u. H.	218			
	fasciatus	Thailand, Kanchanaburi	217			
	grooti	Borneo	181	001		
	grooti	u.H.		157		
	grooti	Bukit Merah	182			
	grooti	Penang	183			
	grooti	Sumatra, Jambi	184			
	spec.	Myanmar		157		
<b>Anabantoidei</b>						
Anabas	testudineus	Bali	2			
	testudineus	Cha Am	3			
	testudineus	Kalkutta	4	157		
	testudineus	Ko Samui	5	157		057
	testudineus	Phimai		091		
	testudineus	u. H.	6	253, 478		057
	testudineus	Viet Nam	7			057
Belontia	hasselti	Bangka	237			
	hasselti	Bukit Merah	14	020		
	hasselti	u. H.	15	089		
	signata	Sri Lanka	16	131, 327	327	
	signata	u. H.	17	478		
	signata jonklaasii	Sri Lanka, Maha Oya-System	236			
Betta	akarensis	Kalimantan Barat, Sanggau	230			

Gattung Art Fundort/Population Genere Espèce Lieu d'origine/Population Genus Species Place of discovery/Population	ID	Vorhanden Maintenu Available	Nachzucht Reproduction Reproduction	Gesucht Recherchés Searched
akarensis u. H.	18	072, 195		
albimarginata Kalimantan Timur, Malinau	19	498, 072, 276, 326, 234, 157, 131, 132, 171	072, 326, 234, 131, 132, 171	165, 247, 380, 195
anabatooides Kalimantan Tengah, Kubu	20			326, 001
bellica Phuket	22	131		
bellica u. H.	23	072, 195, 270, 027		
breviobesus	306	072, 247, 157, 131, 270		157
brownorum Maulbrüter, u.H.	276	001		247, 157
brownorum Simunjan		001		
brownorum u. H.	255	001		
burdigala Bangka	24			157
cf. balunga Ost-Kalimantan, Tideng Pale	25			157
cf. brownorum Sibul	26	072, 234, 257, 132	234, 257, 132	170
cf. enisae u. H.	28	170, 072, 247, 342	170	
cf. ideii Pulau Laut		001		
cf. patoti Kalimantan Timur, Tana Merah	29	072	072	
cf. unimaculata Kalimantan	227			
cf. unimaculata U. H.	30			
channoides Kalimantan Timur, Pampang	31	397, 072, 415, 131, 132, 497	397, 072, 132	380
chloropharynx Bangka	32			
coccina Malaiische Halbinsel Zuchtbuch	33	157	157	
coccina Sumatra, Jambi	34	072, 326, 001, 415, 131, 380, 497	072	157
coccina u. H.	264	276, 157, 001, 195, 132, 386	276, 157, 132	
dimidiata Kalimantan Barat, Kapuas	35	072, 132	072, 132	001
dimidiata u. H.	256	157, 131	247, 131	195
edithae Bangka	238	072, 123	072	393
edithae Borneo Suttner	36			393
edithae Kalimantan Barat, Anjungan	231			157, 020, 393, 171
edithae Sumatra, Waykambas	37			157, 393
edithae u. H.	38	131, 270	131	393
enisae u. H.	247	072, 326, 001	326	393
falx Jambi, terra typica	284	072, 001, 131	072	
falx Unbekannte Herkunft		165 (F1)		
foerschi Kalimantan Tengah, Kubu	40	072, 283, 131	072, 283	
foerschi u. H.	41			
fusca Sumatra, Jambi Teuwen	43	072	072	
fusca u. H.	44	123		
imbellis FO 5, Ko Samui	45			393
imbellis FO 6, Ko Samui	46			393
imbellis Ko Samui	47	027		165, 020, 393
imbellis Marang	48			393

Gattung Art Fundort/Population Genere Espèce Lieu d'origine/Population Genus Species Place of discovery/Population	ID	Vorhanden Maintenu Available	Nachzucht Reproduction Reproduction	Gesucht Recherchés Searched	
imbellis	Phuket	49	072	072	393
imbellis	Pontian		001		
imbellis	u. H.	50	195, 171		393
livida	Tanjong Malim, Selangor forest	263	157, 001	157	165
macrostoma	u. H.	287	072, 342, 132, 497, 386	072, 497	
mandor	Kalimantan Barat, Mandor	39	072, 326, 001, 132	132	380
miniopinna	Rengat Rian, Sumatra		326		
ocellata	u. H.	262	131		
pallifina	Muava Taweh, Zentral Kalimantan		326		
patoti	Kalimantan Timur, Pusrehut	51	386	386	
persephone	Ayer Hitam	277	326, 157, 283, 257, 131, 132	157, 283, 257	
persephone	Bintan = B. miniopinna	52	072		
persephone	u. H.	53	131		
pi	Malay Peninsula, Sungai Golok Glaser	54	072, 326	072, 326	
picta	Java	55	498, 197, 001, 283	283	020, 393
picta	Sumatra (B. falx?)	56	072, 380	072	380, 393
picta	u. H.	57	153		393
prima	Ko Samui/Wellner	58			
prima	u. H.	229	072, 131		
pugnax	Bori Pat	59	072, 195		
pugnax	u. H.	60	171		
pulchra	Johore	61			
rutilans	Kalimantan Barat, Anjungan	62	157, 001	157	
rutilans	u. H.	63	072, 131	131	
schalleri	Bangka	42			
simorum	Sumatra, Jambi = B. simorum	21	072, 247, 157, 498, 170, 326, 001, 153	247, 157, 170	
simplex	Baan Nai Sra Stream	249			393
simplex	Sra Kaew Ponds ehem. Krabi	64	072	072	020, 393
simplex	u. H.	65	131, 380	131, 380	393
smaragdina	FO. 10		001		
smaragdina	Nong Han		223	223	
smaragdina	Nong Kai	66	157, 270	157	393
smaragdina	u. H.	67	072, 170, 195	072	393
smaragdina	Vieng Chang	68	072, 171	072, 171	393
smaragdina	Yasothon		027		
sp.	Kapuas	242	072		
sp.	Ketapang	72			
sp.	Mahachai	252	072, 157	072, 157	157
sp.	Sarawak, Semantan Dickmann	73			
sp. aff. anabatoides	Singai Pinguh	69			326, 001
sp. aff. balunga	Jengan Danum, Mahakam	70			
sp. aff. pugnax	Bukit Lawang	71			
spilotogena	Bintan Weissenberg	75			

Gattung Art Fundort/Population Genere Espèce Lieu d'origine/Population Genus Species Place of discovery/Population	ID	Vorhanden Maintenu Available	Nachzucht Reproduction Reproduction	Gesucht Recherchés Searched
splendens	Bangkok	76		393
splendens	Chiang Mai		197, 157	197, 157
splendens	Ko Samui	77		393
splendens	Nonthaburi		050	050
splendens	Nord-Bangkok	78	297, 072, 048, 283	297, 072, 048 393
splendens	Pak Chong Heidelberg	79		393
splendens	Rajong Ettrich	80	397	397 393
splendens	u. H.	81	247, 001, 327, 393	327 393
splendens	Vietnam	226		157
strohi	Sakamara		326	326
strohi	Nataisedawak		497	497
strohi	u.H.		001	
taeniata	u. H.	83		
taeniata	Serian			170
tussyae	Malaiische Halbinsel, Kuantan, km 16	84	072, 326, 157, 283	283
tussyae	u. H.	265		
uberis	Kalimantan Tengah, Kubu (ex cf. burdigala)	27	235, 072, 157, 001, 257, 380	235, 072, 157, 257, 380 157, 195
uberis	Pangkalanbun		170, 386	386
unimaculata	Jantur Gemeruh, Mahakam	85		501
unimaculata	Kalimantan Timur, Tawau, Kampong Imam	86	072, 157, 123, 153	072, 157 497
unimaculata	Kalimantan Timur, Tawau, Semboma	87		497
unimaculata	u. H.	88		501, 497
waseri	Kuantan			326
Colisa	chuna	u. H.	111	165, 020, 195, 497 165 (mit FO), 380, 393
	chuna	Bengalen		197 197
	fasciata	u. H.	113	195 393
	fasciata	Bengalen (C. bejeus)	112	197 197 393
	fasciata	South Myanmar, Burma		165
	labiosa	u. H.	114	165, 197, 195 393
	labiosa	Upper Myanmar, Burma		165
	lalia	u. H.	115	366, 270, 393 366 165 (mit FO), 380, 393
	lalia	Calcutta	275	197 197 393
	lalia	Assam	300	
Ctenops	nobilis	u. H.	254	001, 291, 195, 497 291
	nobilis	Ichamati-River	137	
Helostoma	temminckii	u. H.	138	001, 478 165
Luciocephalus	pulcher	u. H.	140	195 497
	pulcher	Kalimantan Barat, Anjungan	232	
	sp.	Gm Borneo	141	
	sp.	Kuala Tungka	258	
Macropodus	erythropterus	Vietnam, Dong Hoi	219	157, 057, 131, 057, 131,

Gattung Art Fundort/Population Genere Espèce Lieu d'origine/Population Genus Species Place of discovery/Population			ID	Vorhanden Maintenu Available	Nachzucht Reproduction Reproduction	Gesucht Recherchés Searched
				342, 327, 027, 153, 171, 386	171, 386	
	hongkongensis	u. H.	240	297, 157		157, 027
	ocellatus	Bejing	144			
	ocellatus	Jangtse	245	165, 297	297	020
	ocellatus	Korea/Inchon Chemulpo	288			027
	ocellatus	u. H.	145	072, 157, 001, 057, 271, 171, 497, 386	072, 386	271, 195
	ocellatus	Zoohandel Berlin (Hauer/Keiler)		027	027	
	opercularis	China/Taiwan		327, 027		157, 393
	opercularis	Hanoi 386	147			393
	opercularis	Nang Kin	148	157, 001, 027		393
	opercularis	Nordvietnam	289	027		393
	opercularis	Quang Nam, Vietnam	241	297, 157, 271, 027, 153, 386	297, 386	393
	opercularis	u. H.	149	057, 359		393
	opercularis	Vietnam, Vinh	308	027		393
	spechti	Mühlberg		027		393
	spechti	Schwarzer Tiger		027		393
	spechti	u. H.	142	072		393
	spechti	Vietnam, Hue Hehl/Keiler 99	143	165, 297, 089, 271, 027, 153, 386	297, 089, 386	271, 393
Malpulutta	kretseri	Kottawa Forest	228	397, 197, 072, 291, 342	397, 197, 072, 291	165, 001
	kretseri	u. H.	150	132, 497	132	247, 195, 497
Osphronemus	goramy	u. H.	153			393
	laticlavus	u. H.	261			393
Parasphaerichthys	lineatus	Zwerg-Parasphaerichthys	246			115, 195
	ocellatus	u. H.	154			115, 195
Parosphromenus	allani	u. H.	155	131		
	anjunganensis	Kalimantan Barat Glaser Okt. 98	156	072, 131, 041		
	anjunganensis	Kalimantan Barat, Anjungan	233	115		
	bintan	Bintan Glaser Okt. 98	157			
	bintan	Mimbon	158			
	bintan	u. H.	159			
	cf. bintan	Kalimantan Tengah, Sukamara	160			
	cf. bintan (=tweediei?)	Malaiische Halbinsel, Pontian	161	041		
	cf. linkei	u. H.	162	072		
	cf. nagyi	Cherating/Hallmann	163	072, 041	041	
	cf. paludicola	Sungai Golok	278			195
	deissneri	Bangka, Belilik/Bieler	165	270, 497		001
	deissneri	Bangka/Glaser Okt. 98	164	380		
	deissneri	Bangka import 2001 by Alan & Barbara Brown		415	415	
	deissneri	Jambi	269			
	filamentosus	u. H.	286	415, 131, 270		
	harveyi	Selangor Forest	166	072		

Gattung Art Fundort/Population Genere Espèce Lieu d'origine/Population Genus Species Place of discovery/Population	ID	Vorhanden Maintenu Available	Nachzucht Reproduction Reproduction	Gesucht Recherchés Searched	
	linkei	Kalimantan Tengah, Sukamara	167		
	linkei	u. H.	168	115, 270, 041	195
	nagyi	Kuantan - Johore Baru, km 16	169	235	235
	nagyi	MK16/314	170		
	nagyi	u. H.	171	342, 380	380
	ornaticauda	u. H.	172	115, 072, 276, 415, 257, 380	072, 276 380
	oranicauda	Kalimantan Barat, Anjungan		132	132
	paludicola	Malaiische Halbinsel: Kampong Sedang	173	115	
	paludicola	Sd-Thailand	174		
	parvulus	u. H.	175		
	quindecim	Manis-Mata	234	072, 276, 001, 257	072, 276, 257
	sp.	Bukit Merah	251		
	sp.	Liang-Liang	176		
	sp.	Melak	177		
	sumatranus	Sumatra	178	115, 072, 131	131
Pseudosphromenus	cupanus	Beruwela, Sri Lanka	302	197	197 393
	cupanus	Goa	185		393
	cupanus	Kerala Rotaugen	186	197	197 393
	cupanus	Sri Lanka, Matugama	187	366	366 393
	cupanus	u. H.	188	165, 359, 195, 027	165 (mit FO), 380, 393
	cupanus	Vavum Yaia, Sri Lanka	243		393
	dayi	Alleppey	189	197, 020, 027	197 393
	dayi	Kerala WF, braun	190		393
	dayi	Kerala WF, rot	191		393
	dayi	u. H.	192	072, 195, 386	072, 195 165 (mit FO), 393
Sphaerichthys	acrostoma		220	132	132 001, 195
	osphromenoides	u. H.	194	072, 001, 170, 195, 393	072 393
	osphromenoides	Kalimantan Barat, Anjungan	235		393
	osphromenoides	Malaiische Halbinsel	193		393
	selatanensis	u. H.	195	072	072 001, 195, 393
	vaillanti	Kalimantan Barat: Semitau	196	072, 131, 132, 497	132 001, 380, 195, 393, 497
Trichogaster	leerii	Kalimantan	307	165, 195	
	leerii	u. H.	197	165, 157, 001, 380	
	microlepis	u. H.	198	327	165 (mit FO)
	pectoralis	Ko Samui	199	001	
	pectoralis	u. H.	200	165, 327	165 (mit FO)
	trichopterus	Anjungan	201	393	
	trichopterus	Brunei Bay	202		
	trichopterus	Khon Kaen, Nordost-Thailand		165	

Gattung Art Fundort/Population Genere Espèce Lieu d'origine/Population Genus Species Place of discovery/Population	ID	Vorhanden Maintenu Available	Nachzucht Reproduction Reproduction	Gesucht Recherchés Searched		
trichopterus	Ko Samui	203				
trichopterus	Nong Kai		157			
trichopterus	Philippinen	204				
trichopterus	Phuket	205				
trichopterus	Pontianak	301				
trichopterus	u. H.	206	327			
trichopterus	Viet Nam: Hue Hehl/Keiler 99	207				
Trichopsis	pumila	u. H.	209	197, 195, 270	197	393
	pumila	Viet Nam Hehl/Keiler 99	210			393
	schalleri	Nong Kai		157		
	schalleri	Pak Chong/Geck	211	050		393
	schalleri	u. H.	212	195		195, 393
	schalleri	Udon Thani I.		197	197	
	vittata	Khon Kaen, Nordost-Thailand		165		
	vittata	Phuket	304			
	vittata	Phuket 149	213			
	vittata	u. H.	214	195	195	
	vittata	Udon Thani		197, 020	197	
	vittata	Viet Nam Hehl/Keiler 99	215			
Ctenopoma	acutirostre	u. H.	116	253, 089, 291, 170, 478, 195, 153, 501		393
	kingsleyae	u. H.	124	089, 271, 291, 153	291	253
	maculatum	u. H.	125			253, 291, 393
	muriei	Uganda	126			291, 393
	nigropannosum	Kongo Glaser	128			291
	ocellatum	u. H.	129	291		253, 291, 393
	pellegrinii	Armitage	131			291
	pellegrinii	Kongo Glaser	130			291
	petherici	Gabun	132			
	petherici	Guinea	133			
	petherici	u. H.	134	253, 291, 153	291	
	sp. aff. ocellatum	Grau, Kongo	135	291		291
	weeksii	u. H.	136	253, 271, 291	291	
Microctenopoma	ansorgii	u. H.	117	170, 253, 072, 291, 195, 027, 501	253, 072, 291, 501	271, 195
	cf. nanum	Gabun FO 6/2000 Lamboj	118	271		271, 291
	congicum	u. H.	279	291, 027	291	195
	congicum	RCA-Kapou	119			291
	damasi	u.H.		253, 291, 027	291	
	damasi	Uganda, Kazinga Kanal	120	001, 271		271, 195
	damasi	UGJ 99/12-Butiaba	121			
	fasciolatum	u. H.	123	253, 001, 291, 501, 171	291, 501	195, 393
	fasciolatum	blau u. H.	122	403, 497	403	291, 393
	nanum	u. H.	127			291

Gattung Art Fundort/Population Genere Espèce Lieu d'origine/Population Genus Species Place of discovery/Population			ID	Vorhanden Maintenu Available	Nachzucht Reproduction Reproduction	Gesucht Recherchés Searched
Sandelia	capensis	u. H.	260			057, 291
	bainsii					291
<b>Channidae</b>						
Channa	argus		221			
	aurantimaculata	Assam	244	170		
	asiatica	u. H.		170		
	bangkanensis	Selangor Forest	90	170		
	bleheri	Assam (Handel)	91	072, 271, 497		271
	cf. amphibius	Ghotiganga, N-Bengalen	92			
	cf. gachua	Assam	225			
	cf. gachua	Malaiische Halbinsel, Khao Lak	93			
	gachua	u. H.	96	057, 270, 153		
	gachua	Fundort TH 2/03	282	234, 271		
	gachua	Inle-See	281			
	gachua	Kottawa Forest, Sri Lanka	283			
	gachua	Sri Lanka	94	170		
	gachua	Sri Lanka, Zimtplantage		170	170	
	gachua	Thailand	95			
	gachua	Udon Thani		157		
	gachua	Ko Chang, Keiler		157		
	harcourtbutleri	Inle-See	97			
	marulioides	u. H.	224			
	melasoma	Bangka	99			
	microlepis	Thailand	100			
	micropeltes	u. H.	101			
	orientalis	Bentota Ganga, Colombo	280	157		
	orientalis	Sri Lanka, Kottawa Forest	103	397, 498, 170, 072, 157, 257, 153	397, 072	
	pleurophthalma	u. H.	105			
	pleurophthalma	Jambi, Sumatra	104			
	punctata	Kalkutta	106			
	sp.	Blue bleheri	223			
	sp.	Blue bleheri, Bhutan foothills	108			
	sp.	Lal Cheng		170		
	stewartii	true blue	299			
	stewartii	spec. Himalaya		170		
	striata	u. H.	110			
	striata	Nong Han		223		
	striata	Khao Lak	109			
Parachanna	africana	u. H.	89			
	insignis	via Lagos	98			
	obscura	u. H.	102			
<b>Lungenfische und Flösselhechte</b>						
Erpetoichthys	calabaricus		290			
Lepidosiren	paradoxa		291			
Polypterus	bichir		292			
	delhezi		293			

